



Give Bub the Best Protection

On-time vaccination is your child's best protection against serious illness

NSW Aboriginal* Children's Immunisation Schedule

| | Vaccine | Disease |
|--|----------------------------------|---|
|  <p>Birth</p> | H-B-Vax II OR Engerix B | Hepatitis B |
| | Infanrix Hexa OR Vaxelis | Diphtheria, tetanus, pertussis, Haemophilus influenzae type b, hepatitis B, polio |
| | Prevenar 13 | Pneumococcal |
| | Rotarix (Oral) | Rotavirus |
|  <p>6 weeks</p> | Bexsero | Meningococcal B [†]  Give age-appropriate paracetamol before this vaccine |
| | Infanrix Hexa OR Vaxelis | Diphtheria, tetanus, pertussis, Haemophilus influenzae type b, hepatitis B, polio |
| | Prevenar 13 | Pneumococcal |
| | Rotarix (Oral) | Rotavirus |
|  <p>4 months</p> | Bexsero | Meningococcal B [†]  Give age-appropriate paracetamol before this vaccine |
| | Infanrix Hexa OR Vaxelis | Diphtheria, tetanus, pertussis, Haemophilus influenzae type b, hepatitis B, polio |
| | Additional Bexsero - see note > | <i>Only children ≥6 months with certain at risk conditions may require this additional dose</i>  |
| | Seasonal Flu Vaccine | Influenza |
|  <p>6 months</p> | Nimenrix | Meningococcal ACWY |
| | Prevenar 13 | Pneumococcal |
| | MMR II OR Priorix | Measles, mumps, rubella |
| | Bexsero | Meningococcal B [†]  Give age-appropriate paracetamol before this vaccine |
|  <p>12 months</p> | Infanrix OR Tripacel | Diphtheria, tetanus, pertussis |
| | Priorix Tetra OR Proquad | Measles, mumps, rubella, varicella |
| | ACT-HIB | Haemophilus influenzae type b |
|  <p>18 months</p> | Infanrix-IPV OR Quadracel | Diphtheria, tetanus, pertussis, polio |
| | | |
|  <p>4 years</p> | | |

ANNUALLY any time from 6 months

† Catch up available for Aboriginal children <2 years. * The term Aboriginal is inclusive of Aboriginal and Torres Strait Islander people.

