

Routine childhood vaccinations

The New South Wales Immunisation Schedule outlines recommended vaccines that are available free under the National Immunisation Program. Children can receive free vaccines as long as they are on a Medicare card or are eligible for one.

Getting Vaccinated

Most childhood vaccines are given by injection. Some vaccines are given by mouth or through the nose, depending on the vaccine. A vaccine dose may protect against one specific disease, or several diseases using a combination vaccine which helps reduce the number of injections your child needs. There is no need to skip or delay a vaccination visit due to a mild illness such as a runny nose or slight cold. During the visit, your vaccination provider will ask some questions to check there are no concerns in vaccinating your child.



Vaccinate on Time

It's important to vaccinate on time to give your child the best protection against harmful diseases. Follow the **NSW Immunisation Schedule** and set a reminder to book your child's next appointment. If your child is overdue or missed a scheduled vaccination, speak to your vaccination provider about catching up. A range of catch-up vaccines are available **free** if they were missed in childhood.



Keeping Records

You will need to provide records of your child's immunisations for child care, preschool and for school enrolment.

Parents can request a copy of their child's AIR Immunisation History Statement at any time (before their children turn 14 years of age):

- + Ask at your **usual Health Service**
- + **Medicare online account** on [myGov](#)
- + Using the **Medicare Express Plus App**
- + Calling the **AIR General Enquiries Line** on **1800 653 809**

SCAN the QR code to create a personalised vaccination schedule for your child



NOW'S the **TIME**



Time to vaccinate

Routine childhood immunisation for children from birth up to 5 years old



AH&MRC
Aboriginal Health & Medical
Research Council of NSW

Vaccines are Safe

All vaccines available in Australia have been assessed to ensure they are safe and effective before they are approved for use.

Their safety continues to be monitored once in use. The benefits of vaccinating far outweigh any risks.

It is safer to be vaccinated than get the disease.



Where to get Vaccinated

Vaccinations are provided by:

- + **Aboriginal Medical Services**
- + **Some local councils**
- + **Some community health centres**
- + **GPs**

It's normal to have questions. Have a yarn to your doctor or health worker about **FREE** routine childhood immunisations today.

Keep Bub Healthy

On-time vaccination is your child's best protection against serious diseases

NSW Aboriginal* Children's Immunisation Schedule

Age	Vaccine	Disease	Correct as of March 2026
 Birth	H-B-Vax II OR Enderix B	Hepatitis B	
 6 Weeks	Infanrix Hexa OR Vaxelis	Diphtheria, tetanus, pertussis, Haemophilus influenzae type b, hepatitis B, polio	
	Prevenar 20	Pneumococcal	
	Rotarix (Oral)	Rotavirus	
	Bexsero	Meningococcal B†  Give age-appropriate paracetamol before this vaccine	
 4 Months	Infanrix Hexa OR Vaxelis	Diphtheria, tetanus, pertussis, Haemophilus influenzae type b, hepatitis B, polio	
	Prevenar 20	Pneumococcal	
	Rotarix (Oral)	Rotavirus	
	Bexsero	Meningococcal B†  Give age-appropriate paracetamol before this vaccine	
 6 Months	Infanrix Hexa OR Vaxelis	Diphtheria, tetanus, pertussis, Haemophilus influenzae type b, hepatitis B, polio	
	Prevenar 20	Pneumococcal	
	Additional Bexsero - <i>see note ></i>	Only children ≥6 months with certain at risk conditions may require this additional dose 	
Any time from 6 Months	Yearly Flu Vaccine	Influenza	Note: Children aged <9 years receiving influenza vaccine for the first time may need to receive 2 doses, given 4 weeks apart
 12 Months	Nimenrix	Meningococcal ACWY	
	Prevenar 20	Pneumococcal	
	MMR II OR Priorix	Measles, mumps, rubella	
	Bexsero	Meningococcal B†  Give age-appropriate paracetamol before this vaccine	
 18 Months	Infanrix OR Tripacel	Diphtheria, tetanus, pertussis	
	Priorix Tetra	Measles, mumps, rubella, varicella	
	ACT-HIB	Haemophilus influenzae type b	
 4 Years	Infanrix-IPV OR Quadracel	Diphtheria, tetanus, pertussis, polio	

† Catch up available for Aboriginal children <2 years.

* The term Aboriginal is inclusive of Aboriginal and Torres Strait Islander people.

ANNUALLY any time from 6 months